



LIFTERS



**350Kg**



#### Technical Data

Worktop: 2000x600 (830 including flaps)  
Height: min.180 max.1300  
Payload: 350 Kg  
Lifting speed: 16 sec. to 1300 mm

#### Available Accessories

[1](#) [2](#) [3](#) [4](#) [6](#)



**320Kg**



#### Technical Data

Worktop: 2000x600 (830 including flaps)  
Height: min. 80 max.1260  
Payload: 320 Kg  
Lifting speed: 14 sec. to 1260 mm

#### Available Accessories

[1](#) [2](#) [3](#) [4](#) [6](#) [7](#)



**600Kg**



#### Technical Data

Worktop: 2100x760 (975 including flaps)  
Height: min.180 max.1300  
Payload: 600 Kg  
Lifting speed: 20 sec. to 1300 mm

#### Available Accessories

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#)

**530Kg**



#### Technical Data

Worktop: 2300x760  
Height: min.80 max.1260  
Payload: 530 Kg  
Lifting speed: 30 sec. to 1260 mm

#### Available Accessories

[1](#) [2](#) [3](#) [4](#) [6](#) [7](#)

## Accessories



**1** Mechanical screw wheel clamp



**2** Automatic wheel clamp



**3** Adjustable pneumatic wheel clamp



**4** Aluminium plate for lifter



**5** Side wings for Quad\_ATV  
Only for lift 600Kg - Not usable on lift (inground version)



**6** Inground Frame



**7** Control cabinet  
Only for lifters 320Kg and 530Kg

## HERON 35

- New and innovative product
- Designed, engineered and manufactured in Italy
- Self-supporting and easy to install
- Excellent value for money

New electromechanical lifter for e-bike - wall-mounted and floor-stand versions.  
Capacity: 35 kg.



# NEW

### Optional

